

AirDroid Business Windows Policy & Restriction Settings

Category	Feature	Description
Password Configuration	Password Rules	Allow users to configure rules for screen lock passwords. By default, the password is the current screen lock password set on the devices. Users can choose to allow passwords containing only alphabets, only numbers, or a combination of both.
	Minimum password length	Allow users to configure the minimum password length set on the devices.
	Maximum number of failed attempts	Allow users to configure the maximum number of failed log-in attempts. If the number is exceeded, the affected device will be restored to its factory settings.
	Password Valid Period	Allow users to set a valid password period. The password must be reset after the expiration.
	Password reuse rule	Allow users to set the number of recent passwords that device users cannot reuse.
	Automatic screen lock	Allow users to set how long a device can remain idle before it is automatically locked.
App Blocklist/ Allowlist	App Blocklist	Allow users to block selected apps from being used on the device.
	App Allowlist	Users can only allow selected apps to be used on the device.
Restrictions	Camera	Allow users to turn on or turn off the device cameras.
	Language	Allow users to change the device languages.
	Shared Clipboard	Allow users to copy and paste from the shared clipboard. When disabled, the clipboard history on the device will not be available.
	Location Information	Allow users to disable or enable access to the device's location information.
	Add Microsoft Accounts	Allow users to add Microsoft accounts.

Restrictions	Add Non-Microsoft Accounts	Allow users to add non-Microsoft accounts.
	Developer Options	Allow users to configure access to developer options. The feature is set to None by default. Users can adjust it to Keep Enabled or Keep Disabled.
	Reset Devices	Allow users to reset a device.
	USB external device	Allow or disable users to connect SD cards and other devices via USB. Disabling this option does not affect the connection of mice or keyboards via the cable.
	Allow unknown sources	Disabling this feature will block users from installing any apps from unknown sources. However, users can still distribute and install apps. * Applications from unknown sources refer to UWP applications that are not from the Microsoft Store and are not traditional Win32 applications.
	Install apps on a device's non-system drives	Allow users to install apps on a device's non-system drives.
	Auto-update Rules of Microsoft Store Apps	Allow users to set automatic update rules for Microsoft Store applications. The option is set to None by default, but users can adjust it to Keep Enabled or Keep Disabled.
	Wi-Fi status	Allow users to connect devices to Wi-Fi networks.
	Select Wi-Fi settings	Enable users to add multiple Wi-Fi configurations to their settings, allowing users to choose or switch between them for their devices.
	Cellular data	Allow users to manage cellular data for devices. The feature is set to None by default, and users can adjust it to Keep Enabled or Keep Disabled.
	Auto-connection to Wi-Fi Sense	Allow users to connect their devices to Wi-Fi Sense automatically.
	Internet sharing	Allow users to share an internet connection.
	Bluetooth Status	Allow users to use Bluetooth.
Change Date/ Time	Allow users to modify the time and date settings on the device.	

Windows Update	Microsoft Product Updates	Enable updates for other Microsoft products when updating Windows.
	Manage Windows Driver Updates	Enabling this feature allows Windows to update drivers. Disabling will exclude driver updates during Windows updates.
	Download Updates over Metered Connections	Allow downloading updates over metered connections (extra charges may apply).
	Pause Updates	Allow users to access the pause updates features on devices.
	Check for Updates	Allow users to access update-checking features on devices.
	Defer Feature Updates	Defer feature updates by the selected days (up to 365 days)
	Defer Quality Updates	Defer quality updates by the selected days (up to 30 days)
Patch Settings	Frequency for Checking for Available Patch Updates	Set the frequency for checking available updates on devices.
	Schedule for Installing System Patch Update	Schedule when patches are installed on the devices. By default, patches are installed immediately, but users can adjust this by configuring the installation time or frequency.
	Reboot Settings	Configure when devices are rebooted after patch updates. If the installed patch requires devices to reboot to take effect, you can customize a message to inform device users.
Browser	Website Allowlist	<p>The feature enables users to restrict website access on devices in Kiosk mode. Users can add website addresses to the allowlist to ensure only those sites can be accessed from their devices.</p> <p>⚠ Please note: this feature can only be applied to Google Chrome, Microsoft Edge (version 77), and Microsoft's Kiosk Browser.</p>
	Autofill Form Data	Enable the Autofill feature on the websites.
	Developer tools	Allow access to browsers' developer tools.

Browser	Cookie	Allow users to manage cookies. The feature is set to None by default, but users can adjust it to Enable, Disable, or Delete cookies after closing the browser.
	Enable JavaScript	Enable JavaScript in browsers.
	Pop-ups	Enable to allow pop-ups
	Password Manager	Allow users to save new passwords. When disabled, users cannot save new passwords but can still use those saved before.
	Incognito Mode	Allow users to browse in incognito mode.
	Clear Browsing History	Allow users to clear their browsing history. When disabled, users cannot clear the history.
	Print	Allow users to print from browsers.
	Browser Sign-in	Configure browser sign-in rules. The feature is set to None by default, but users can adjust it to Enable, Disable, or Users must log in to an account to use.
	Location	Allow users to manage websites' access to their locations. The feature is set to None by default, but users can adjust it to Allow websites to track, Prevent websites from tracking, or Ask users whenever tracking occurs.
	Search Suggestions	Configure search suggestion settings. The feature is set to None by default, but users can adjust it to Keep Enable or Keep Disabled.
	Select the Browser for Opening Shortcuts	<p>Select Google Chrome or Microsoft Edge to open the website shortcuts on Windows devices. The shortcuts you created will be opened with the selected browser.</p> <p>⚠ Please note that when devices are in Kiosk mode, shortcuts should be opened with Microsoft Edge, as Google Chrome does not support this functionality.</p>
Multi-app Kiosk Mode	<p>App Allowlist for Kiosk</p> <p>Allow users to configure the app allowlist for the multi-app Kiosk mode. Only the apps on the list will be displayed on the home screen.</p> <p>⚠ Note: This feature is only available to devices running Windows 10.</p>	

Multi-app Kiosk Mode	User Account	<p>Allow users to create or select a user account for the Kiosk Mode. Users can choose from a system-created account, a non-admin account, or create a new account.</p> <ul style="list-style-type: none"> • Select an account to be auto-created by the system: Our system automatically creates an account for this mode on Windows devices. • Select an existing non-admin account: Apply this mode to existing non-admin accounts on Windows devices. • Create a new account: Create a local non-admin account on Windows devices to apply this mode.
	Brand	Select a brand in the Policy for Windows devices to apply the brands' settings, such as wallpaper, to the devices. If no brand is selected, the default interface of the Kiosk Mode will be applied.
	Hide Windows taskbar	Hide the taskbar at the bottom of the device's screen.
	Manage access to file explorers	Allow users to access all or only specific folders on the device. Users have the options to 'Prohibit access,' 'Allow access to the Downloads folder,' 'Allow access to removable devices,' 'Allow access to the Downloads folder and removable devices,' or 'Allow access to all folders.'
Single-app Kiosk Mode	Select an application for the Single-app Mode	Select the application that you want to use in the Single-app Mode.
	Set Home Page for Selected Browser	If Google Chrome, Microsoft Edge, or Microsoft's Kiosk Browser is set as the application to run in the single-app mode, you can configure the home page of the browser.
	Show the Back and Forward buttons and URL bar	If Google Chrome, Microsoft Edge, or Microsoft's Kiosk Browser is set as the application to run in the single-app mode, you can display the Back, Forward and Reload buttons on the browser.
	User Account	<p>Allow users to select a user account for the Kiosk Mode. Users can choose from a system-created account or a non-admin account.</p> <ul style="list-style-type: none"> • Select an account to be auto-created by the system: Our system automatically creates an account for this mode on Windows devices. • Select an existing non-admin account: Apply this mode to existing non-admin accounts on Windows devices.